EBY
EQUIPMENT
TRAILERS

# BUMPER-PULL LOW-PROFILE FLATBED TRAILERS

## 10K AND 14K GVW

### Exceptionally strong and lightweight with a low profile

These heavy-duty yet lightweight Low-Profile trailers are ideal for handling a wide variety of loads. Constructed of fuel-efficient, low-maintenance aluminum, the 10K and 14K Low-Profile flatbeds are engineered to perform and built to last. Choose from a wide variety of popular options to customize your trailer: lockable toolbox, spare tire, electric winch, multiple ramp options and more!

10K Low-Profile, standard spec



14K Low-Profile, shown with optional equipment

**10K LOW-PROFILE**

| **Standard Sizes:** | |
|---|---|
| Deck Lengths: | 18' and 20' |
| Deck Width: | 82" between fenders |
| Beaver Tail: | 27" |
| Ramps: | 60"L × 16"W |

**14K LOW-PROFILE**

| **Standard Sizes:** | |
|---|---|
| Deck Lengths: | 18', 20' and 24'6" |
| Deck Width: | 82" between fenders |
| Beaver Tail: | 27" |
| Ramps: | 60"L × 16"W |



# 23K GVW

## A heavier-duty low-profile design

The 23K Low-Profile design takes EBY's legendary engineering to the extreme. Boasting the same fuel-efficient, low-maintenance aluminum as all of our trailers, and equipped with an industrial-strength frame, heavy-duty wheels, and rock-solid dual drop-legs, the 23K Low-Profile is a dependable work horse. With an impressive array of options—lockable toolbox, spare tire, electric winch and much more—this trailer will be on the job for years to come.

**23K LOW-PROFILE**

**Standard Sizes:**

| | |
|---|---|
| Deck Length: | 25'9" (Length includes 3'3" beavertail) |
| Deck Width: | 82" between fenders |
| Beaver Tail: | 39" |
| Ramps: | 60"L × 24"W |

23K Low-Profile, shown with optional equipment

All EBY trailers feature Dexter axles.



# BUMPER-PULL DECK-OVER FLATBED TRAILERS

## 10K AND 14K GVW

### Exceptionally strong and lightweight with a wide floor

These heavy-duty yet lightweight Deck-Over trailers are ideal for hauling loads requiring a wider deck. Constructed of fuel-efficient, low-maintenance aluminum, the 10K and 14K Deck-Over flatbeds are engineered to perform and built to last. They are easy to customize for your specific needs with a wide variety of popular options, such as fold-flat ramps, lockable toolbox, spare tire, electric winch and more!

10K Deck-Over, shown with optional equipment

**10K DECK-OVER**

**Standard Sizes:**

| | |
|---|---|
| Deck Lengths: | 18' and 20' |
| Deck Width: | 97 3/4" (102" overall) |
| Beaver Tail: | 51" |
| Ramps: | 60"L × 16"W |




14K Deck-Over, shown with optional equipment

**14K DECK-OVER**

**Standard Sizes:**

| | |
|---|---|
| Deck Lengths: | 18', 20' and 24'6" |
| Deck Width: | 97 3/4" (102" overall) |
| Beaver Tail: | 51" |
| Ramps: | 60"L × 16"W |

# 25K GVW

## Lighter and stronger deck-over designs

Our 25K Deck-Over takes EBY's legendary engineering to extremes, using fuel-efficient, low-maintenance aluminum to maximize payload capacity. Equipped with a rock-solid frame, heavy-duty aluminum ramps, and rugged deck construction, the 25K Deck-Over is a dependable work horse. Customize with a lockable toolbox, spare tire, electric winch, or any number of other options, and this heavy-duty deck-over will be a trusted job-site companion for years to come.

**25K DECK-OVER**

| **Standard Sizes:** | |
|---|---|
| Deck Lengths: | 20' + 5', 25' + 5' and 30' + 5' |
| Deck Width: | 102" (overall) |
| Beaver Tail: | 60" |
| Ramps: | 60"L × 24"W |

25K Deck-Over, shown with optional equipment

# GOOSENECK FLATBED TRAILERS

## 15.9K GVW

### Lightweight single-wheel gooseneck

EBY's 15.9K Gooseneck is a lightweight design that delivers a heavy-duty payload capacity. Engineered to maximize aluminum's fuel-efficient, low-maintenance characteristics, the 15.9K Gooseneck stands head and shoulders above typical steel trailers, allowing you to haul more and save more. Complete the package with an impressive array of options—spare tire, electric winch, wheel choices and more.




15.9K Gooseneck, standard spec

**15.9K GOOSENECK**

**Standard Sizes:**

| | |
|---|---|
| Deck Length: | up to 24'6" |
| Deck Width: | 102" |
| Beaver Tail: | 51" |
| Ramps: | 60"L × 30"W |

# 25K GVW

## Dual-wheel gooseneck that's 2,000 pounds lighter than steel

Our all-aluminum 25K Gooseneck trailer is approximately 2,000 lbs—*a full ton*—lighter than comparably spec'd steel trailers. Boasting the same fuel-efficient, low-maintenance aluminum as all of our trailers, and with an impressive design—featuring 19" main beams, heavy-duty 50/50 ramps, Hutch spring suspension, and more—the 25K Gooseneck truly is engineered to perform and built to last. Outfit with your choice of load-securement, flooring and other options, and be prepared for a trailer that is more advanced than anything you've owned before.

UP TO 40' LENGTHS

**25K GOOSENECK**

| **Standard Sizes:** | |
|---|---|
| Deck Lengths: | 20' + 5', 25' + 5', 30' + 5' and 35' + 5' |
| Deck Width: | 102" (overall) |
| Beaver Tail: | 60" |
| Ramps: | 60"L × 48"W |




25K Gooseneck, shown with optional equipment

*EBY offers a wide variety of aluminum truck bodies to complement your equipment trailer. Contact your EBY representative for details.*

# CB14K DUMP TRAILER

## 14K GVW

### Exceptionally strong and lightweight

The CB14K is a heavy-duty, yet lightweight, dump trailer ideal for handling bulk material and equipment. Constructed of fuel-efficient, low-maintenance aluminum, the CB14K dump trailer is engineered to perform and built to last. Make it your own by equipping your trailer with a wide variety of popular options like a mesh pull tarp, spare wheel and tire, or wireless remote.

**14K DUMP**

| **Standard Sizes:** | |
|---|---|
| Lengths: | 14' and 16' |
| Width: | 82" (overall) |
| Deck Height: | 29 1/4" |

CB14K Dump, shown with optional equipment

# SPECIALTY ALUMINUM TRAILERS

## CUSTOM ENCLOSED TRAILERS

### Fully customizable designs

Individually suited for specific haulers, you won't find a more versatile, finely tuned trailer. Constructed of fuel-efficient, low-maintenance aluminum, a custom EBY enclosed trailer is engineered to perform and built to last.

**Standard Sizes:**

| | |
|---|---|
| Lengths: | Gooseneck up to 36' |
| | Bumper-Pull up to 24' |
| Widths: | 96" to 102" |
| Heights: | 6'6" to 8'6" |

Enclosed trailers available in gooseneck and bumper-pull models



18' × 82" Car Trailer, shown with optional equipment

## CAR TRAILER

### 7K GVW commercial-grade car hauler

Boasting the same fuel-efficient, low-maintenance aluminum as all EBY trailers, and equipped with a low deck, adjustable ramps and removable fenders, this 7K Car Trailer will provide years of service.

**Standard Sizes:**

| | |
|---|---|
| Deck Lengths: | 18' and 20' |
| Deck Width: | 82" between fenders |
| Beaver Tail: | 43" |
| Ramp Length: | 77" |

EBY is a proud member of The National Association of Trailer Manufacturers, dedicated to improving trailer safety and performance. EBY trailers are manufactured in compliance with NATM guidelines.

# POPULAR OPTIONS AND RAMP CONFIGURATIONS

Spare Wheel and Tire

A-Frame Tool Box

Electric Winch




Electric Landing Leg

Aluminum Wheels

Relocatable D-Ring

Sliding Winches

Loadable Nose

*Available options vary by model. Additional options available. Contact your EBY representative for details.*

# RAMPS

36" wide

(2) 1/3 fold-flat

Bi-fold



50/50 fold-flat

# EBY designs and manufactures a complete line of aluminum agri-transportation equipment

LIVESTOCK TRAILERS

LIVESTOCK SEMI-TRAILERS

SERVICE BODIES

EQUIPMENT TRAILERS

GRAIN TRAILERS

TRUCK BODIES

**800-292-4752**
**www.mheby.com**

©2018-2022 M. H. EBY, Inc. All rights reserved. EBY reserves the right to change specifications without notice.

Rev. 1/22